

(1) **Certificate of Conformity**

(2) Equipment and protective systems intended for use in potentially explosive atmospheres – **Directive 2014/34/EU**

(3) Certificate Number

EPS 24 ATEX 1 287 U

Revision 0

(4) Component: Potential module PM12-T0*-LOAD-20A-E / PM12-T0*-GND-20A-E

(5) Manufacturer: E-T-A Elektrotechnische Apparate GmbH

(6) Address: Industriestr. 2-8
90518 Altdorf
Germany

(7) This component and any acceptable variation thereto are specified in the annex to this Certificate of Conformity and the documentation therein referred to.

(8) Bureau Veritas Consumer Products Services Germany GmbH certifies based on a voluntary assessment that this component has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres, given in Annex II of the Directive 2014/34/EU. The examination and test results are recorded in the confidential documentation under the reference number 24TH0521_00.

(9) Compliance with the essential health and safety requirements has been assured by compliance with:

EN IEC 60079-0:2018


EN IEC 60079-7:2015/A1:2018

EN IEC 60079-31:2014

(10) The sign “U” placed behind the certificate number indicates that this certificate shall not be confounded with certificates issued for equipment or protective systems. This certificate is valid for a component without an autonomous function in sense of article 2 (3) and does not authorize for the CE-marking to be applied according to article 13 (3) of the Directive. This component certificate only serves as a basis for the issuing of certificates for equipment or protective systems.

(11) This Certificate of Conformity relates only to the design and the construction of the specified component in accordance with Directive 2014/34/EU. Further requirements of this Directive apply to the manufacture of this component and its placing on the market. Those requirements are not covered by this certificate.

(12) The marking of the component shall include the following:

 II 3G Ex ec IIC Gc
II 3D Ex tc IIIB Dc



Certification department of explosion protection

Tuerkheim, 2025-05-27


Ulrich Feike

Certificates without signature and seal are void. This certificate is allowed to be distributed only if not modified. Extracts or modifications must be authorized by Bureau Veritas Consumer Products Services Germany GmbH.

(13)

Annex

(14) **Certificate of Conformity EPS 24 ATEX 1 287 U**

Revision 0

(15) Description of component:

The PM12-T potential distribution modules of the REX system can be divided into two main groups. You can realise both the + DC 24 V and the 0 V (GND) power distribution in the same system. The new PM12-T modules for the + DC 24 V power distribution are mounted side by side with the electronic circuit protectors and can be electrically connected with them. This increases the number of terminals, saves space and conventional distribution terminals are no longer required.

The EM12-T supply module for GND picks up the 0 V potential and multiplies it by means of the PM12-T for DC 0 V (GND), which can be connected in series. These components can also conveniently be connected and wired up. The distribution solution for DC 0 V is suitable for 40 A rated load.

Electrical data:

Operating voltage U_B DC 24 V

Operating current I_B Maximum 20 A

(16) Reference number: 24TH0521_00

(17) Notes for manufacture, installation and operation:

Service temperature: $-30\text{ °C} \leq T_s \leq +60\text{ °C}$

The device has to be installed in an already certified enclosure approved for explosion protection with minimum IP54. The operating instructions shall be observed for the exact installation conditions.

For full certification as an electric equipment, the tests according to EN IEC 60079-0 resp. EN IEC 60079-7, 5.2.8, 6.8 and annex E have to be carried out. Based on the test results a temperature class shall be assigned.

(18) Essential health and safety requirements:

Met by compliance with standards.

Certification department of explosion protection

Tuerkheim, 2025-05-27



Ulrich Feike